

Kitty Quillow

Kids Corner Web-only Pattern




FINISHED SIZE

Block - 15" x 15"
 Quillow - 45" x 63"


*FABRIC REQUIREMENTS

Purple, solid ... 1 7/8 yards
 Purple, small print ... 1 7/8 yards
 Purple, large print ... 3 5/8 yards
 Off white ... Fat quarter (kitty)
 Light pink ... 3" x 5" (inside ears)
 Blue ... 3" x 5" (eyes)
 Black ... 3" x 3" (nose)
 Low loft batting ... twin size
 *Fabric yardage is based on cutting
 63 1/2" strips lengthwise.



OTHER MATERIALS

Sewing thread
 Gray embroidery thread
 Machine or hand appliqué thread
 Machine quilting thread



CUTTING THE FABRIC

*After assembling Kitty drawing,
 (pages 3, 4, 5, & 6) make appliqué
 templates

Purple solid

... *1 strip 15 1/2" x 63 1/2"
 ... 1 square 17" x 17"
 ... 1 square 15 1/2" x 15 1/2"

Purple, small print

... *2 strips 15 1/2" x 63 1/2"

Purple, large novelty print

... *3 strips 15 1/2" x 63 1/2"

Off white

... 1 Template A
 ... 1 Template B
 ... 1 Template C

Lt. pink

... 1 Template D
 ... 1 Template E

Blue

... 2 Template F

*Cut first



Leave open
 Diagram III



Diagram IV

ASSEMBLING PILLOW SQUARE


Step 1. Finger-press purple 17" x 17" square in half horizontally, vertically, and diagonally; use folds as placement guides. *Using appliqué method of choice, position and appliqué template fabrics to purple square in alphabetical order (**Diagram I**). Using gray embroidery floss and referring to assembled Kitty drawing, stem stitch body lines (**Diagram II**).

Step 2. Layer wrong side of appliqué block with 18" x 18" square of low loft batting. Quilt block and batting together, using quilting design of your choice. Square quilted layers to 15 1/2" x 15 1/2". Layer quilted block with purple 15 1/2" x 15 1/2" square, right sides together, and sew 1/4" seam allowance around all edges, leaving approximately 8" open at bottom (**Diagram III**). Turn right side out and top stitch along bottom edge only, closing opening (**Diagram IV**).

ASSEMBLING QUILLOW TOP

Step 3.

Using **Diagram V** as a guide, sew three 15 1/2" x 63 1/2" purple novelty print strips together.



FINISHING QUILLOW

Step 4. Using **Diagram VI** as a guide, sew two 15 1/2" x 63 1/2" purple small print strips to a 15 1/2" x 63 1/2" solid purple strip to make quillow lining.

Step 5. Layer top and lining, right sides together, on flat surface. Spread low loft batting on top, making three layers. Pin layers together and carefully turn layers over. Trim batting to fit quillow top and lining. Using an even-feed presser foot, machine stitch a 1/4" seam through all the layers, leaving a 10" opening along the bottom for turning the quillow inside out. After turning quillow, blind stitch opening to close. Machine quilt or "tie" layers together.

Step 6. Referring to **Diagram VII**, center the finished pillow, appliqué side down, along top edge of the lining side of the quilted layers. Backstitching at the beginning and end of seam, top stitch 1/8" seam along sides and top of pillow. Leave bottom of finished pillow open to form pocket.

FOLDING QUILLOW

Step 7. Lay quillow on a flat surface, pillow side down. Fold the quilt into thirds vertically (**Diagram VIII**).

Step 8. Reach under the folded quilt and grab the bottom edge of the pillow, pulling up and over until it has been turned inside out. The top edges of the quilt should now be inside of the pillow pocket and the appliqué side of pillow is on top (**Diagram IX**)

Step 9. Fold the quillow into thirds lengthwise (**Diagram X**). Referring to **Diagram XI**, stuff folded quillow into pillow pocket. Hand-smooth unwanted folds and lumps.



Diagram VI




Diagram VII



Diagram VIII



Diagram IX





Diagram X



Diagram XI

Section 1




Align left edge of Section 2 with broken line ... tape sections together


Appliqué Kitty Pattern

For 15" Block

compliments of www.quickquilts.com



Align bottom edge of Sections 1-2 with broken line --- tape together



Align left edge of Section 4 with broken line ... tape sections together

Section 3

Align bottom edge of Sections 1-2 with broken line --- tape together



Section 4

© Copyright 2002 Primedia Enthusiast Group, Inc.

